


ROGUE®

MONSTER MULTI USE RACK ROLLER



⚠️ IMPORTANT SAFETY INFORMATION

DISCLAIMER:







Resistance training, gymnastics training, and activities at height are potentially dangerous and may lead to severe injury or even death. Use common sense when training, obtain instruction in the proper execution of movements, and understand your limitations. This equipment must only be used by competent and responsible persons. Obtaining instruction in appropriate techniques and methods of use is your own responsibility. You assume all risks and responsibilities for all damage, injury or death which may occur during or following incorrect use of this equipment in any matter whatsoever. Rogue Fitness bears no liability beyond the replacement value of the equipment in question.

WARNING:

MISUSE OF THIS PRODUCT CAN RESULT IN SEVERE INJURY. Both Rogue Fitness and buyer disclaim any express or implied warranty, including, without limitation, warranties or merchantability and/or fitness for a particular purpose with respect to the equipment. Buyer assumes all liability to use of equipment.

INCLUDED PARTS



Note: Images not shown at scale



STEP 1



- Hardware comes installed in roller.
- Remove 5/8" X 1.5" Button Head Screw [5] and 5/8" Lock Washer [6] before installing the brackets.

- Install Roller [1] between Rack Roller RH and LH Bracket [2,3] using 5/8" x 1.5" Button Head Screw [5] and 5/8" Lock Washer [6].
- Ensure the Roller [1] tabs are fully inserted into the side brackets.



STEP 2


- To Install Roller, insert pins into desired location on Rack Uprights.
- Secure using provided 1" x 4-1/2" Detent Pins [4].
- Ensure Detent Pins [4] are fully secured through both sides of the upright before use.



STEP 3

- For 1" height adjustment rotate the roller assembly and place pin in the offset hole.
- Ensure Detent Pins are fully secured through both sides of the upright before use.

3-A



ROGUE



**SCAN FOR
INSTRUCTIONS**



**IRON GAME
PROGRAMMING**